

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
145R10	68	4	315	147	492
145R12	72	4	355	147	542
145R13	74	4	375	147	566
155R12	76	4.5	400	157	550
155R13	78	4.5	425	157	578
165R13	82	4.5	475	167	596
165R14	84	4.5	500	167	622
165R15	86	4.5	530	167	646
175R13	86	5	530	178	608
175R14	88	5	560	178	634
175R15	91	5	580	178	660
185R13	88	5.5	560	188	624
185R14	90	5.5	600	188	650
185R15	91	5.5	615	188	674
195R14	93	5.5	650	198	666
195R15	94	5.5	670	198	690
205R15	98	5.5	750	203	711
205R14	96	6	710	208	686
205R16	99	6	775	208	736
215R15	100	6	800	218	724
145/80R10	69	4	325	145	486
155/80R10	73/77	4.5	365/412	157	502
135/80R12	68	3.5	315	133	521
145/80R12	74	4	375	145	537
155/80R12	77	4.5	412	157	553
125/80R13	65	3.5	290	126	530
135/80R13	70/74	3.5	335/375	133	546
145/80R13	75/79	4	387/437	145	562
155/80R13	79/83	4.5	437/487	157	578
165/80R13	83/87	4.5	487/545	165	594
175/80R13	86	5	530	177	610
185/80R13	90	5	600	184	626
145/80R14	76	4	400	145	588
155/80R14	81	4.5	462	157	604
165/80R14	85	4.5	515	165	620
175/80R14	88/92	5	560/630	177	636
185/80R14	91/95	5	615/690	184	652
195/80R14	95	5.5	690	196	680
205/80R14	98	5.5	750	203	684
135/80R15	73	3.5	365	133	597
165/80R15	87	4.5	545	165	645
175/80R15	90	5	600	177	661

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
185/80R15	93/97	5	650/730	184	677
195/80R15	96/100	5.5	710/800	196	693
215/80R15	102/106	6	850/950	216	725
225/80R15	105	6	925	223	741
275/80R15	116	7.5	1250	274	821
175/80R16	91	5	615	177	686
205/80R16	100/104	5.5	800/900	203	734
215/80R16	103/107	6	875/975	216	750
235/80R16	109	6.5	1030	235	782
185/75R14	89	5	580	184	634
195/75R14	92	5.5	630	196	648
205/75R14	95	5.5	690	203	664
215/75R14	100	6	800	216	678
175/75R15	88	5	560	177	643
205/75R15	97	5.5	730	203	689
215/75R15	100	6	800	216	703
225/75R15	10/106	6	850/950	223	719
235/75R15	105/109	6.5	925/1030	235	733
255/75R15	110	7	1060	255	763
265/75R15	11	7.5	1120	267	779
215/75R16	103/107	6	875/975	216	728
225/75R16	104/108	6	900/1000	223	744
235/75R16	108/112	6.5	1000/1120	235	758
245/75R16	111	7	1090	248	774
265/75R16	112	7.5	1250	267	804
165/75R12	79	4.5	437	165	553
165/75R13	81	4.5	462	165	578
175/75R13	84	5	500	177	592
185/75R13	88	5	560	184	608
175/75R14	86	5	530	177	618
185/75R14	89	5	580	184	634
195/75R14	92/95	5.5	630/690	196	648
205/75R14	95	5.5	690	203	664
215/75R14	98	6	755	216	678
225/75R14	101	6	815	223	700
195/75R15	94	5.5	670	196	673
205/75R15	97/99	5.5	725/775	203	689
215/75R15	100/102	6	790/850	216	703
225/75R15	102/106	6	850/920	223	719
235/75R15	105/108	6.5	925/1000	235	733
245/75R15	108	7	1000	248	749
265/75R15	112	6.5	1120	267	779

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
215/75R16	101	6	825	216	728
225/75R16	104/106	6	900/950	223	744
235/75R16	106/109	6.5	950/1030	235	758
245/75R16	109	7	1030	248	774
265/75R16	114	7.5	1180	267	804
235/75R17	108	6.5	1000	235	784
245/75R17	110	7	1030	248	800
255/75R17	113	7	1150	255	814
165/70R10	72	5	355	170	486
145/70R12	69	4.5	325	150	509
155/70R12	73	4.5	365	157	523
165/70R12	77	5	412	170	537
175/70R12	80	5	450	177	551
145/70R13	71	4.5	345	150	534
155/70R13	75	4.5	387	157	548
165/70R13	79/83	5	437/487	170	562
175/70R13	82/86	5	475/530	177	576
185/70R13	86	5.5	530	189	590
195/70R13	89	6	580	201	604
135/70R14	69	4	325	138	546
145/70R14	73	4.5	365	150	560
155/70R14	77	4.5	412	157	574
165/70R14	81/85	5	462/515	170	588
175/70R14	84/88	5	500/560	177	602
185/70R14	88/92	5.5	560/630	189	616
195/70R14	91/95	6	615/690	201	630
205/70R14	98	6	750	209	644
215/70R14	96	6.5	710	221	658
225/70R14	99	6.5	775	228	672
145/70R15	75	4.5	387	150	585
155/70R15	78	4.5	425	157	599
165/70R15	82	5	475	179	613
175/70R15	86	5	530	177	627
185/70R15	89	5.5	580	189	641
195/70R15	97	6	730	201	655
205/70R15	95	6	690	209	669
215/70R15	98	6.5	750	221	683
225/70R15	100	6.5	800	228	697
235/70R15	103/107	7	875/975	240	711
245/70R15	106	7	950	248	725
255/70R15	108	7.5	1000	260	739
265/70R15	112	8	1120	272	751

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
285/70R15	115	8.5	1285	292	781
175/70R16	87	5	545	177	652
205/70R16	97	6	730	209	694
215/70R16	100	6.5	800	221	708
215/70R16	99	6.5	775	221	708
225/70R16	101	6.5	825	228	722
225/70R16	107	6.5	975	228	722
235/70R16	104/107	7	900/975	240	736
235/70R16	106/109	7	950/1030	240	736
245/70R16	107/111	7	975/1090	248	750
245/70R16	106	7	950	248	750
255/70R16	109/112	7.5	1030/1120	260	764
255/70R16	111	7.5	1090	260	764
265/70R16	111	8	1090	272	778
265/70R16	112	8	1120	272	778
275/70R16	114	8	1180	279	792
185/70R17	92/96	5.5	630/710	189	692
215/70R17	101	6.5	825	221	734
225/70R17	108	6.5	1000	228	748
235/70R17	107/111	7	975/1090	240	762
235/70R17	105/108	7	925/1000	240	762
245/70R17	110	7	1060	248	776
245/70R17	108	7	1000	248	776
255/70R17	112	7.5	1120	260	790
255/70R17	110	7.5	1060	260	790
265/70R17	113	8	1150	272	804
265/70R17	115	8	1215	272	804
285/70R17	117	8.5	1285	292	832
315/70R17	125	9.5	1650	323	874
245/70R18	110	7	1000	248	801
255/70R18	113/117	7.5	1150/1285	260	815
255/70R18	112	7.5	1120	260	815
265/70R18	116	8	1250	272	829
265/70R18	114	8	1180	272	829
275/70R18	116	8	1250	279	843
165/65R13	76	5	400	170	544
175/65R13	80	5	450	177	558
185/65R13	83	5.5	487	189	570
195/65R13	87	6	545	201	584
205/65R13	89	6	580	209	596
165/65R14	78	5	425	170	570
175/65R14	81/84	5	462/500	177	584

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
185/65R14	85	5.5	515	189	596
195/65R14	87/90	6	545/600	201	610
205/65R14	90	6	600	209	622
215/65R14	93/96	6.5	650/710	221	636
225/65R14	96	6.5	710	228	648
185/65R15	87	5.5	545	189	621
195/65R15	91	6	615	201	635
205/65R15	92/95	6	630/690	209	647
215/65R15	95	6.5	690	221	661
235/65R15	100	7	800	240	687
255/65R15	105	7.5	920	260	713
295/65R15	114	8.5	1180	299	765
205/65R16	94	6	670	209	675
215/65R16	96	6.5	710	221	686
225/65R16	99	6.5	775	228	698
235/65R16	101	7	825	240	712
255/65R16	106	7.5	950	260	738
265/65R16	109	8	1030	272	750
275/65R16	111	8	1090	279	764
285/65R16	113	8.5	1150	292	776
295/65R16	116	8.5	1250	299	790
215/65R17	98	6.5	750	221	712
225/65R17	100	6.5	800	228	724
235/65R17	103	7	875	240	738
245/65R17	105	7	925	248	750
255/65R17	108	7.5	1000	260	764
265/65R17	110	8	1060	272	776
275/65R17	113	8	1215	292	790
285/65R17	115	8.5	1150	292	802
235/65R18	104	8	900	240	763
255/65R18	109	7.5	1000	260	789
265/65R18	112	8	1120	272	801
275/65R18	114	8	1180	279	815
145/65R12	67	4.5	307	150	493
155/65R12	71	4.5	345	157	507
175/65R12	78	5	425	177	533
145/65R13	69	4.5	325	150	518
155/65R13	73	4.5	365	157	532
165/65R13	77	5	412	170	544
175/65R13	80	5	450	177	558
185/65R13	84	5.5	500	189	570
195/65R13	87	6	545	201	584

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
145/65R14	70	4.5	335	150	544
155/65R14	75/79	4.5	387/437	157	558
165/65R14	79/83	5	437/487	170	570
175/65R14	82/86	5	475/530	177	584
185/65R14	86/90	5.5	530/600	189	596
195/65R14	89/93	6	580/650	201	610
205/65R14	91	6	615	209	622
215/65R14	94	6.5	670	221	636
225/65R14	96	6.5	710	228	648
145/65R15	72	4.5	355	150	569
155/65R15	77	4.5	412	157	583
165/65R15	81	5	462	170	595
175/65R15	84/88	5	500/560	177	609
185/65R15	88/92	5.5	560/630	189	621
195/65R15	91/95	6	615/690	201	635
205/65R15	94/99	6	670/775	209	647
215/65R15	96/100	6.5	710/800	221	661
225/65R15	99/103	6.5	775/875	228	673
255/65R15	106	7.5	950	260	713
185/65R16	89/93	5.5	580/650	189	646
195/65R16	92	6	630	201	660
205/65R16	95	6.5	690	221	672
215/65R16	98/102	6.5	750/850	221	686
225/65R16	100	6.5	800	228	698
235/65R16	103/107	7	875/975	240	712
255/65R16	109	7.5	1030	260	738
285/65R16	113	8.5	1150	292	776
185/65R17	90	5.5	600	189	672
215/65R17	99	6.5	775	221	712
225/65R17	102	6.5	850	228	724
235/65R17	104/108	7	900/1000	240	738
245/65R17	107/111	7	975/1090	248	750
255/65R17	110	7.5	1060	260	764
265/65R17	112	8	1120	272	776
275/65R17	115/119	8	1215/1360	279	790
225/65R18	103	6.5	875	228	749
235/65R18	106/110	7	950/1060	250/290	763
265/65R18	116/120	8	1250/1400	279	815
275/65R18	116/120	8	1215/1400	279	790
165/60R12	71	5	345	170	503
145/60R13	66	4.5	300	150	504
155/60R13	70	4.5	335	157	516

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
165/60R13	73	5	365	170	528
175/60R13	77	5	412	177	540
185/60R13	80	5.5	450	189	552
195/60R13	83	6	487	201	564
205/60R13	86	6	530	209	576
215/60R13	89	6.5	580	221	588
225/60R13	92	6.5	630	228	600
235/60R13	94	7	670	240	612
145/60R14	68	4.5	315	150	530
165/60R14	75/79	5	387/437	170	554
175/60R14	79	5	437	177	566
185/60R14	82/86	5.5	475/530	189	578
195/60R14	86	6	530	201	590
205/60R14	88	6	560	209	602
215/60R14	92	6.5	630	221	614
225/60R14	94	6.5	670	228	626
235/60R14	96	7	710	240	638
245/60R14	99	7	775	248	650
255/60R14	101	8	815	272	674
265/60R14	103	8	875	272	674
155/60R15	74	4.5	375	157	567
165/60R15	77	5	415	170	579
175/60R15	81	5	462	177	591
185/60R15	84/88	5.5	500/560	189	603
195/60R15	88	6	560	201	615
205/60R15	91/95	6	615/690	209	627
215/60R15	94/98	6.5	670/750	221	639
225/60R15	96	6.5	710	228	651
235/60R15	98	7	750	240	663
245/60R15	101	7	825	248	675
255/60R15	102	7.5	850	260	687
275/60R15	107	8	975	279	711
295/60R15	111	8.5	1090	299	735
315/60R15	116	9.5	1250	323	759
175/60R16	82	5	475	177	616
185/60R16	86	5.5	530	189	628
195/60R16	89	6	580	201	640
205/60R16	92/96	6	630/710	209	652
215/60R16	95/99	6.5	690/775	221	664
225/60R16	98/102	6.5	750/850	228	676
235/60R16	100/104	7	800/900	240	688
245/60R16	102	7	850	248	700

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
255/60R16	103	7.5	875	260	712
265/60R16	106	8	950	272	724
275/60R16	109	8	1030	279	736
285/60R16	111	8.5	1090	292	748
205/60R17	94	6	670	209	678
215/60R17	95	6.5	690	221	690
215/60R17	96	6.5	710	221	690
225/60R17	98	6.5	750	228	702
225/60R17	99	6.5	775	228	702
235/60R17	100/103	7	800/875	240	714
235/60R17	102/106	7	850/950	240	714
245/60R17	108	7	1000	248	726
255/60R17	106/110	7.5	950/1060	260	738
255/60R17	105	7.5	925	260	738
265/60R17	108	8	1000	272	750
275/60R17	110	8	1060	279	762
285/60R17	114	8.5	1180	292	774
345/60R17	123	10	1550	350	846
225/60R18	99	6.5	775	228	727
225/60R18	100	6.5	800	228	737
235/60R18	102	7	850	240	739
235/60R18	103/107	7	875/975	240	739
245/60R18	105	7	925	248	751
245/60R18	104	7	900	248	751
255/60R18	108/112	7.5	1000/1120	260	763
265/60R18	109	8	1030	272	775
265/60R18	110/114	8	1060/1180	272	775
275/60R18	111	8	1090	279	787
275/60R18	113/117	8	1150/1285	279	787
285/60R18	114	8.5	1180	292	799
285/60R18	116/120	8.5	1250/1400	292	799
305/60R18	120	9	1400	311	823
255/60R19	108	7.5	1000	260	789
245/60R20	107	7	975	248	802
275/60R20	114	8	1180	279	838
275/60R20	119	8	1360	279	838
165/55R13	70	5	335	170	512
175/55R13	75	5.5	387	182	522
185/55R13	77	6	412	194	534
195/55R13	80	6	450	201	544
205/55R13	85	6.5	515	214	556
225/55R13	91	7	615	233	578

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
155/55R14	69	5	325	162	526
165/55R14	72	5	355	170	538
185/55R14	80	6	450	194	560
195/55R14	82	6	475	201	570
205/55R14	85	6.5	515	214	582
225/55R14	91	7	615	233	604
165/55R15	75	5	387	170	563
175/55R15	77	5.5	412	182	573
185/55R15	82/86	6	475/530	194	585
195/55R15	85/89	6	515/580	201	595
205/55R15	88	6.5	560	214	607
215/55R15	89	7	580	226	617
225/55R15	92	7	630	233	629
235/55R15	95	7.5	690	245	639
255/55R15	100	8	790	265	661
275/55R15	104	8.5	900	284	683
345/55R15	118	11	1320	360	761
175/55R16	80	5.5	450	182	598
185/55R16	83/87	6	487/545	194	610
195/55R16	87/91	6	545/615	201	620
205/55R16	91/94	6.5	615/670	214	632
215/55R16	93/97	7	650/730	226	642
225/55R16	95/99	7	690/775	233	654
235/55R16	98	7.5	750	245	664
235/55R16	96	7.5	710	245	664
245/55R16	100/104	7.5	800/900	253	676
255/55R16	103	8	875	265	686
275/55R16	106/109	8.5	950/1030	284	708
175/55R17	81	5.5	462	182	624
205/55R17	91/95	6.5	615/690	214	658
215/55R17	94/98	7	670/750	226	668
225/55R17	97/101	7	730/825	233	680
225/55R17	95	7	690	233	680
235/55R17	99/103	7.5	775/875	245	690
235/55R17	98	7.5	750	245	690
245/55R17	102	7.5	850	253	702
255/55R17	102/108	8	850/1000	265	712
255/55R17	102	8	850	265	712
265/55R17	105	8.5	925	277	724
275/55R17	109	8.5	1030	284	734
275/55R17	107	8.5	975	284	734
205/55R18	91	6.5	615	214	683

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
215/55R18	95/99	7	690/775	226	693
215/55R18	94	7	670	226	693
225/55R18	98	7	750	233	705
225/55R18	97	7	730	233	705
235/55R18	100/104	7.5	800/900	245	715
235/55R18	99	7.5	775	245	715
245/55R18	103	7.5	875	253	727
255/55R18	105/109	8	925/1030	265	737
255/55R18	104	8	900	265	737
265/55R18	108	8.5	1000	277	749
265/55R18	106	8.5	950	277	749
275/55R18	109	8.5	1030	284	759
285/55R18	113	9	1150	297	771
285/55R18	111	9	1090	297	771
235/55R19	101/105	7.5	825/925	245	741
235/55R19	101	7.5	825	245	741
245/55R19	103	7.5	875	253	753
255/55R19	107/111	8	975/1090	265	763
265/55R19	109	8.5	1030	277	775
275/55R19	111	8.5	1090	284	785
285/55R19	114	9	1180	297	797
235/55R20	102	7.5	850	245	766
255/55R20	107	8	975	265	788
275/55R20	111	8.5	1090	284	810
275/55R20	117	8.5	1285	284	810
285/55R20	115/119	9	1215/1360	297	822
175/50R13	72/76	5.5	355/400	182	506
185/50R13	76	6	400	194	516
195/50R13	78	6	425	201	526
205/50R13	81	6.5	462	214	535
175/50R14	74	5.5	375	182	532
185/50R14	77	6	412	194	542
205/50R14	84/88	7	500/560	214	562
225/50R14	88	5	560	233	582
165/50R15	72	5.5	355	170	547
175/50R15	75	6	387	182	557
195/50R15	82/86	6.5	475/530	201	577
205/50R15	86/89	7.5	530/580	214	587
215/50R15	88	7	560	226	597
225/50R15	91/95	7.5	615/690	233	607
245/50R15	96/100	8.5	710/800	253	627
265/50R15	99	8.5	780	277	647

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
275/50R15	101	9	830	284	682
285/50R15	104	9.5	900	297	667
295/50R15	108	9.5	1000	309	677
295/50R15	105/108	9.5	935/1000	309	677
305/50R15	110/114	9.5	1060/1180	316	687
305/50R15	108/110	9.5	995/1060	316	687
325/50R15	112	10	995/1060	336	707
175/50R16	77/81	5.5	412/462	182	582
185/50R16	81	6	462	194	592
195/50R16	84/88	6	500/560	201	602
205/50R16	87/91	6.5	545/615	214	612
215/50R16	90/94	7	600/670	226	622
225/50R16	92/96	7	630/710	233	632
235/50R16	95/99	7.5	690/775	245	642
245/50R16	97	7.5	730	253	652
255/50R16	99	8	775	265	662
265/50R16	101	8.5	825	277	672
275/50R16	103	8.5	875	284	682
295/50R16	107	9.5	975	309	702
205/50R17	89/93	6.5	580/650	214	638
205/50R17	88/90	6.5	560/600	214	638
215/50R17	91/95	7	615/690	226	648
215/50R17	90/93	7	600/650	226	648
225/50R17	94/98	7	670/750	233	658
225/50R17	93	7	650	233	658
235/50R17	96/100	7.5	710/800	245	668
235/50R17	95	7.5	690	245	668
245/50R17	99	7.5	775	253	677
255/50R17	101	8	825	265	688
275/50R17	106	8.5	950	284	708
215/50R18	92	7	630	226	673
225/50R18	95	7	690	233	683
235/50R18	97/101	7.5	730/825	245	693
245/50R18	100/104	7.5	800/900	253	703
255/50R18	102/106	8	850/950	265	713
275/50R18	107	8.5	975	284	733
285/50R18	109	9	1030	297	743
235/50R19	99	7.5	775	245	719
245/50R19	101/105	7.5	825/925	253	677
255/50R19	103/107	8	875/975	265	739
265/50R19	106/110	8.5	950/1060	277	749
275/50R19	108/112	8.5	1000/1120	284	759

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
245/50R20	102	7.5	850	253	754
255/50R20	109	8	1030	265	764
255/50R20	104	8	900	265	764
265/50R20	107/111	8.5	975/1090	280	772
265/50R20	106	8.5	950	280	774
275/50R20	109/113	8.5	1030/1150	284	784
285/50R20	112/116	9	1120/1250	297	794
285/50R20	111	9	1090	297	794
295/50R20	118	9.5	1320	309	804
305/50R20	116/120	9.5	1250/1400	316	814
325/50R20	120	10	1400	336	834
255/50R21	106	8	950	265	789
285/50R22	118	9	1320	297	845
315/50R22	124	10	1600	328	875
195/45R13	75	6.5	387	195	506
225/45R13	84	7.5	500	225	532
245/45R13	89	8	580	243	550
195/45R14	77	6.5	412	195	532
205/45R14	80	7	450	206	540
165/45R15	68	5.5	315	165	529
175/45R15	72	6	355	176	539
185/45R15	75	6	387	183	547
195/45R15	78	6.5	425	195	557
205/45R15	81	7	462	206	565
215/45R15	84	7	500	213	575
225/45R15	87	7.5	545	225	583
235/45R15	88	8	560	236	593
255/45R15	93	8.5	650	255	611
195/45R16	80/84	6.5	450/500	195	582
205/45R16	83/87	7	487/545	206	590
215/45R16	86	7	530	213	600
225/45R16	89/93	7.5	580/650	225	608
245/45R16	94	8	670	243	626
265/45R16	92	9	630	266	644
195/45R17	81/85	6.5	462/515	195	608
205/45R17	84/88	7	500/560	206	616
215/45R17	87/91	7	545/615	213	626
225/45R17	91/94	7.5	615/670	225	634
225/45R17	84/90	7.5	500/600	225	634
235/45R17	94/97	8	670/730	236	644
235/45R17	87/93	8	545/650	236	644
245/45R17	95/99	8	690/775	243	652

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
245/45R17	89/99	8	690/775	243	652
255/45R17	98/102	8.5	750/850	255	662
255/45R17	92/98	8.5	630/750	255	662
275/45R17	102	9	850	273	680
305/45R17	102/109	10	850/1030	303	706
315/45R17	111	10.5	1090	320	716
315/45R17	104	11	900	320	716
205/45R18	86/90	7	530	206	641
215/45R18	89/93	7	580	213	651
225/45R18	91/95	7.5	615/690	225	659
235/45R18	94/98	8	670/750	236	669
235/45R18	88/94	8	560/670	236	669
245/45R18	96/100	8	710/800	243	677
255/45R18	99/103	8.5	775/875	255	687
255/45R18	93/99	8.5	650/775	255	687
275/45R18	103/107	9	875/975	273	705
285/45R18	103/107	9	875/975	285	713
295/45R18	108/112	10	1000/1120	296	723
295/45R18	101/108	10	825/1000	296	723
225/45R19	92/96	7.5	630/710	225	685
235/45R19	95/99	8	690/775	236	695
245/45R19	98/102	8	750/850	243	703
255/45R19	100/104	8.5	800/900	255	713
255/45R19	94/100	8.5	670/800	255	713
275/45R19	104/108	9	900/1000	273	731
285/45R19	107/111	9.5	975/1090	285	739
295/45R19	109/113	10	1030/1150	296	749
235/45R20	96	8	710	236	720
245/45R20	99	8	775	243	728
255/45R20	100/105	8.5	825/925	255	738
265/45R20	104/108	9	900/1000	266	746
275/45R20	106	9	950	273	756
275/45R20	106/110	9	950/1060	273	756
285/45R20	112	9.5	1120	285	764
295/45R20	110/114	10	1060/1180	296	774
305/45R20	112/116	10	1120/1250	303	782
255/45R21	102	8.5	850	255	763
265/45R21	104	9	900	266	771
285/45R21	109	9.5	1030	285	789
275/45R22	108/112	9	1000/1120	273	807
285/45R22	110	9.5	1060	285	815
285/45R22	114	9.5	1180	285	815

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
295/45R22	116	10	1250	296	825
305/45R22	118	10	1320	303	833
305/45R24	120	10	1400	303	884
205/40R13	69	7.5	325	212	494
215/40R14	79	7.5	437	218	528
225/40R14	82	8	475	230	536
215/40R15	80	7.5	450	218	553
195/40R16	80	7	450	200	562
205/40R16	83	7.5	487	212	570
215/40R16	82/86	7.5	475/530	218	578
225/40R16	85	8	515	230	586
255/40R16	92	9	630	260	610
195/40R17	81	7	462	200	588
205/40R17	80/84	7.5	450/500	212	596
205/40R17	76/80	7.5	400/450	212	596
215/40R17	79	7.5	437	218	604
215/40R17	83/87	7.5	487/545	218	604
225/40R17	86/90	8	530/600	230	612
235/40R17	84	8.5	500	241	620
235/40R17	90/94	8.5	600/670	241	620
245/40R17	86	8.5	530	248	628
245/40R17	91/95	8.5	615/690	248	628
255/40R17	89/94	9	580/670	260	636
255/40R17	94/98	9	670/750	260	636
265/40R17	91	9.5	615	271	644
265/40R17	96/100	9.5	710/800	271	644
275/40R17	93/98	9.5	650/750	278	652
275/40R17	98	9.5	750	278	652
285/40R17	95/100	10	690/800	290	660
285/40R17	100/104	10	800/900	290	660
295/40R17	102	10.5	850	301	668
205/40R18	82/86	7.5	475/530	212	621
215/40R18	85/89	7.5	515/580	218	629
225/40R18	83/88	8	487/560	230	637
225/40R18	88/92	8	560/630	230	637
235/40R18	85	8.5	515	241	645
235/40R18	91/95	8.5	615/690	241	645
245/40R18	88/93	8.5	560/650	248	653
245/40R18	93/97	8.5	650/730	248	653
255/40R18	90	9	600	260	661
255/40R18	95/99	9	690/775	260	661
265/40R18	92	9.5	630	271	669

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
265/40R18	97/101	9.5	730/825	271	669
275/40R18	94	9.5	670	278	677
275/40R18	99/103	9.5	775/875	278	677
285/40R18	96	10	710	290	685
285/40R18	101	10	825	290	685
295/40R18	103	10.5	875	301	693
305/40R18	106	11	950	320	709
315/40R18	102	11	850	320	709
225/40R19	89/93	8	580/650	230	663
235/40R19	92/96	8.5	630/710	241	671
245/40R19	94/98	8.5	670/750	248	679
255/40R19	91/96	9	615/710	260	687
255/40R19	96/100	9	710/800	260	687
275/40R19	96/101	9.5	710/825	278	703
275/40R19	101/105	9.5	825/925	278	703
285/40R19	103	10	875	290	711
315/40R19	103/109	11	875/1030	320	735
245/40R20	90	8.5	600	248	704
245/40R20	95/99	8.5	690/775	248	704
255/40R20	97/101	9	730/825	260	712
265/40R20	100/104	9.5	800/900	271	720
275/40R20	102/106	9.5	850/950	278	728
285/40R20	104	10	900	290	736
295/40R20	101/106	10.5	825/950	301	744
295/40R20	106/110	10.5	950/1060	301	744
265/40R21	105	9.5	925	271	745
275/40R21	107	9.5	975	278	753
295/40R21	107/111	10.5	975/1090	301	769
265/40R22	106	9.5	950	271	771
285/40R22	110	10	1060	290	787
295/40R22	112	10.5	1120	301	795
305/40R22	110/114	11	1060/1180	313	803
325/40R22	114/118	11.5	1180/1320	325	819
285/40R23	111	10	1090	290	812
305/40R23	115	11	1215	313	828
305/40R23	115	11	1215	313	828
315/40R23	118	11	1320	313	836
285/40R24	112	10	1120	290	838
295/40R24	114	10.5	1180	301	846
305/40R24	117	11	1285	313	854
315/40R25	120	11	1400	320	887
315/40R26	116/120	11	1253/1400	320	912

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
255/35R14	85	9	515	260	534
235/35R15	81	8.5	462	241	545
345/35R15	95	12	690	350	623
215/35R16	81	7.5	462	218	556
245/35R16	86	8.5	530	248	578
255/35R16	88	9	560	260	584
215/35R17	79/83	7.5	437/487	218	582
225/35R17	82/86	8	475/530	230	590
245/35R17	87	8.5	545	248	604
265/35R17	92	9.5	630	271	618
275/35R17	94	9.5	670	278	624
285/35R17	88	10	560	290	632
305/35R17	91	11	615	313	646
315/35R17	93/102	11	650/850	320	652
315/35R17	102	11	850	320	652
335/35R17	97	12	730	343	666
335/35R17	106	12	950	343	666
215/35R18	80/84	7.5	450/500	218	607
225/35R18	83/87	8	487/545	230	615
235/35R18	86/90	8.5	530/600	241	621
245/35R18	80	8.5	450	248	629
245/35R18	88/92	8.5	560/630	248	629
255/35R18	82	9	475	260	635
255/35R18	90/94	9	600/670	260	635
265/35R18	85	9.5	515	271	643
265/35R18	93/97	9.5	650/730	271	643
275/35R18	87	9.5	545	278	649
275/35R18	95/99	9.5	690/775	278	649
285/35R18	89	10	580	290	657
285/35R18	97/101	10	730/825	290	657
295/35R18	91	10.5	615	301	663
295/35R18	99/103	10.5	775/875	301	663
305/35R18	93	11	650	313	671
345/45R18	109	12	1030	350	699
215/35R19	85	7.5	515	218	633
225/35R19	84/88	8	500/580	230	641
235/35R19	87/91	8.5	545/615	241	647
245/35R19	89/93	8.5	580/650	248	655
255/35R19	92/96	9	630/710	260	661
265/35R19	94/98	9.5	650/750	271	669
275/35R19	96/100	9.5	710/800	278	675
285/35R19	90	10	600	290	683

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
285/35R19	99/103	10	775/875	290	683
295/35R19	100	10.5	800	301	689
305/35R19	102	11	850	313	697
345/35R19	110	12	1060	350	725
225/35R20	90	8	600	230	666
235/35R20	92	8.5	630	241	672
245/35R20	91/95	8.5	615/690	248	680
255/35R20	93	9	650	260	686
255/35R20	93/97	9	650/730	260	686
265/35R20	95/99	9.5	690/775	271	694
275/35R20	89	9.5	580	278	700
275/35R20	98/102	9.5	750/850	278	700
285/35R20	100	10	800	290	708
305/35R20	104	11	900	313	722
315/35R20	106/110	11	950/1060	320	728
245/35R21	96	8.5	710	248	705
255/35R21	98	9	750	260	711
265/35R21	101	9.5	825	271	719
275/35R21	99/103	9.5	775/875	278	725
285/35R21	101/105	10	825/925	290	733
295/35R21	107	10.5	975	301	739
305/35R21	109	11	1030	320	753
315/35R21	111	11	1090	320	753
245/35R22	97	8.5	730	248	731
255/35R22	99	9	775	260	737
265/35R22	98/102	9.5	750/850	271	745
275/35R22	104	9.5	900	278	751
285/35R22	102/106	10	850/950	290	759
295/35R22	108	10.5	1000	301	765
305/35R22	110	11	1060	313	773
285/35R23	107	10	975	290	784
305/35R23	107/111	11	975/1090	313	798
285/35R24	108	10	1000	290	810
295/35R24	110	10.5	1060	301	816
305/35R24	112	11	1120	313	824
315/35R24	114	11	1180	320	830
325/35R28	120	11.5	1400	320	939
225/30R18	82	8	475	225	593
245/30R18	88	8.5	560	248	605
255/30R18	90	9	600	260	611
265/30R18	88	9.5	560	271	617
285/30R18	93/97	10	650/730	290	629

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
285/30R18	86	10	530	290	629
295/30R18	94/98	10.5	670/750	301	635
315/30R18	91	11	615	320	647
315/30R18	98	11	750	320	647
325/30R18	100	11.5	800	331	653
335/30R18	95	12	690	343	659
335/30R18	102	12	850	343	659
345/30R18	97	12	730	350	665
225/30R19	84	8	500	225	619
245/30R19	89	8.5	580	248	631
255/30R19	91	9	615	260	637
265/30R19	89/93	9.5	580/650	271	643
275/30R19	92/96	9.5	630/710	278	649
285/30R19	94/98	10	670/750	290	655
285/30R19	87	10	545	290	655
295/30R19	96/100	10.5	710/800	301	661
305/30R19	98/102	11	750/850	313	667
325/30R19	94	11.5	670	336	679
325/30R19	105	11.5	925	331	679
345/30R19	98	12	750	350	691
345/30R19	105	12	925	350	691
225/30R20	85	8	515	225	644
235/30R20	88	8.5	560	242	650
245/30R20	86/90	8.5	530/600	248	656
255/30R20	88/92	9	560/630	260	662
265/30R20	94	9.5	670	271	668
275/30R20	93/97	9.5	650/730	278	674
285/30R20	95/99	10	690/775	290	680
295/30R20	97/101	10.5	730/825	301	686
325/30R20	102	11.5	850	331	704
335/30R20	104	12	900	343	710
255/30R21	93	9	650	260	687
265/30R21	96	9.5	710	271	693
285/30R21	100	10	800	290	705
295/30R21	98/102	10.5	750/850	301	711
325/30R21	104/108	11.5	900/1000	331	729
225/30R22	90	8.5	600	225	701
245/30R22	92	8.5	630	248	729
255/30R22	95	9	690	260	713
265/30R22	93/97	9.5	650/730	271	719
275/30R22	99	9.5	775	278	725
285/30R22	101	10	825	290	731

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
295/30R22	99/103	10.5	775/875	301	737
305/30R22	105	11	925	313	743
315/30R22	107	11	975	320	749
275/30R23	100	9.5	800	278	750
295/30R23	104	10.5	900	301	762
255/30R24	97	9	730	260	764
275/30R24	101	9.5	825	278	776
285/30R24	103	10	875	290	782
315/30R24	109	11	1030	320	800
305/30R26	109	11	1030	313	844
305/25R19	92	11	630	313	635
315/25R19	94/98	11.5	670/750	325	641
335/25R19	98	12	750	343	651
355/25R19	101	13	825	366	661
275/25R20	87/91	10	545/615	275	646
285/25R20	93	10.5	650	287	650
295/25R20	95	10.5	690	301	656
305/25R20	93/97	11	650/730	313	660
325/25R20	97/101	12	730/825	327	670
335/25R20	94	12	670	343	676
345/25R20	100	12.5	800	343	680
295/25R21	96	10.5	710	301	681
255/25R22	89	9	580	260	687
275/25R22	93	10	650	275	697
285/25R22	95	10.5	690	287	701
295/25R22	97	10.5	730	301	707
305/25R22	99	11	775	313	711
315/25R22	101	11.5	825	325	717
335/25R22	105	12	925	343	727
305/25R23	100	11	800	313	736
315/25R23	102	11.5	850	325	742
275/25R24	96	10	710	283	748
275/25R24	92/96	10	630/710	283	748
305/25R26	103	11	875	313	812
8.5R14	94	7	670	216	675
9R15	105	8	925	254	752
10R15	109	8	1030	264	781
11R15	112	8	1120	279	785
12R15	118	10	1320	318	831
27X8.50R14	87	7	545	218	680
27X8.50R14	95	7	690	218	680
29X9.50R15	93	7.5	650	240	731

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
29X9.50R15	101	7.5	825	240	731
30X9.50R15	96	7.5	710	240	756
30X9.50R15	104	7.5	900	240	756
31X10.50R15	100	8.5	800	268	781
31X10.50R15	109	8.5	1030	268	781
31X11.50R15	101	9	825	290	781
31X1.150R15	110	9	1060	290	781
31X12.50R15	103	10	875	318	781
32X11.50R15	104	9	900	290	807
32X11.50R15	113	9	1150	290	807
32X12.50R15	113	9	1150	302	806
33X9.50R15	113	7.5	1150	240	832
33X10.50R15	105	8.5	925	268	832
33X10.50R15	114	8.5	1180	268	832
33X12.50R15	100	10	800	318	832
33X12.50R15	108	10	1000	318	832
33X15.50R15	111	10	1090	390	832
35X12.50R15	113	10	1150	318	883
35X13.50R15	114	11	1180	345	883
36X14.50R15	109	12	1030	372	908
36X14.50R15	118	12	1320	372	908
36X15.50R15	119	12	1360	390	908
37X12.50R15	109	10	1030	345	934
37X12.50R15	118	10	1320	345	934
37X13.50R15	119	11	1360	345	934
38X15.50R15	123	12	1550	390	959
37X12.50R16	109	10	1030	318	934
33X12.50R17	105	10	925	318	832
33X12.50R17	114	10	1180	318	832
35X12.50R17	111	10	1090	318	883
35X12.50R17	119	10	1360	318	883
37X12.50R17	116	10	1250	318	934
37X12.50R17	124	10	1600	318	934
37X13.50R17	121	11	1450	345	934
38X13.50R17	119	11	1360	345	959
38X15.50R17	121	11	1450	390	959
40X13.50R17	121	11	1450	345	1010
36X14.50R17	121	12	1450	372	908
38X14.50R17	121	12	1450	372	959
38X15.50R17	121	12	1450	390	959
40X14.50R17	121	12	1450	372	1010
33X12.50R18	118	10	1320	318	832

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
35X12.50R18	118	10	1320	318	877
37X12.50R18	123	10	1550	318	934
35X13.50R18	119	11	1360	345	883
36X14.50R18	122	12	1500	372	908
37X13.50R18	124	11	1600	345	934
38X15.50R18	128	12	1800	390	959
33X12.50R20	114	10	1180	318	832
35X12.50R20	121	10	1450	318	883
37X12.50R20	123	10	1550	318	934
40X13.50R20	128	11	1450	345	1010
42X14.50R20	125	12	1650	372	1061
37X12.50R16.5	123	9.75	1550	314	940
37X12.50R16.5	123	9.75	1550	314	940
325/45R24	120	11	1400	326	902
375/50R18	124/121	12	1600/1450	392	833
325/50R20	120	10	1400	336	834
325/50R22	122	10	1500	336	885
165/55R14	95/93	5	690/650	170	538
185/55R15	92/90	6	630/600	194	585
205/55R16	98/96	6.5	750/710	214	632
315/55R16	111	10	1090	328	752
345/55R16	116	11	1250	360	786
375/55R16	126/123	12	1700/1550	392	818
225/55R17	104/102	7	900/850	233	680
345/55R17	117	11	1285	360	812
285/55R20	114/117	9	1180/1285	297	822
285/55R20	122/119	9	1500/1360	297	822
305/55R20	121/118	9	1450/1320	316	844
325/55R22	120/117	10	1400/1285	336	917
335/55R22	121	11	1450	353	927
185/60R15	91/89	5.5	615/580	189	603
185/60R15	94/92	5.5	670/630	189	603
195/60R15	93/91	6	650/615	201	615
325/60R15	106	9.5	950	331	777
195/60R16	99/97	6	775/730	201	640
205/60R16	100/98	6	800/750	209	652
215/60R16	103/101	6.5	875/825	221	664
215/60R16	108/106	6.5	1000/950	221	664
225/60R16	101/99	6.5	825/775	228	672
225/60R16	105/103	6.5	925/875	228	676
285/60R16	109	8.5	1030	292	748
185/60R17	96/94	5.5	710/670	189	654

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
215/60R17	104/102	6.5	900/850	221	690
215/60R17	109/107	6.5	1030/975	221	690
235/60R17	109/112	7	1030/1120	240	714
235/60R17	117/115	7	1375/2435	240	714
285/60R17	110	8.5	1060	292	774
205/60R16	101/98	6	825/750	209	703
305/60R18	121/118	9	1450/1320	311	823
325/60R18	124/121	9.5	1600/1450	331	847
345/60R18	121	10	1450	350	871
375/60R18	122/125	11	1650/1500	382	907
275/60R20	123/120	8	1550/1400	279	838
305/60R20	118/115	9	1320/1215	311	874
305/60R20	123/120	9	1550/1400	311	874
325/60R20	118/121	9.5	1450/1320	331	898
325/60R22	123	9.5	1550	331	949
325/60R22	128	9.5	1800	331	949
175/65R14	90/88	5	600/560	177	584
185/65R15	101/99	5.5	825/775	189	621
195/65R15	98/96	6	750/710	201	635
205/65R15	102/100	6	850/800	209	647
215/65R15	104/102	6	900/850	221	661
215/65R15	110/108	6.5	1060/1000	221	661
245/65R15	102	7	850	248	699
185/65R16	101/99	5.5	825/775	189	646
195/65R16	100/98	6	800/750	201	660
195/65R16	104/102	6	900/850	201	660
195/65R16	106/104	6	950/900	201	660
205/65R16	99/97	6	775/730	209	672
205/65R16	103/101	6	875/825	209	672
205/65R16	107/105	6	975/925	209	672
205/65R16	109/107	6	1030/975	208	672
215/65R16	102/100	6.5	850/800	221	686
215/65R16	106/104	6.5	950/909	221	686
215/65R16	109/107	6.5	1030/975	221	686
225/65R16	112/110	6.5	1120/1060	228	698
235/65R16	115/113	7	1215/1150	240	712
235/65R16	121/119	7	1450/1360	240	712
285/65R16	125	8.5	1650	292	776
285/65R16	128	8.5	1800	292	776
375/65R16	126/123	11	1700/1550	382	894
245/65R17	105/102	7	925/850	248	750
305/65R17	121/118	9	1450/1320	311	828

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
265/65R18	122/119	8	1500/1360	272	801
275/65R18	113/110	8	1150/1060	279	815
275/65R18	123/120	8	1550/1400	279	815
285/65R18	121/118	8.5	1450/1320	292	827
285/65R18	125/122	8.5	1650/1500	292	827
305/65R18	124/121	9	1600/1450	311	853
325/65R18	121/118	9.5	1450/1320	311	879
325/65R18	127/124	9.5	1750/1600	311	879
395/65R18	123/120	12	1550/1400	406	971
275/65R20	126/123	8	1700/1550	279	866
285/65R20	127/124	8.5	1750/1600	292	878
165/70R13	88/86	5	560/530	170	562
165/70R14	89/87	5	580/545	170	588
175/70R14	95/93	5	690/650	177	602
207/70R14	102/100	6	850/800	209	644
215/70R14	106/104	6.5	950/900	221	658
175/70R15	97/95	5	730/690	177	627
185/70R15	100/98	5.5	800/750	189	641
195/70R15	98/96	6	750/1420	201	655
195/70R15	100/98	6	800/1150	201	655
195/70R15	104/102	6	900/850	201	655
195/70R15	106/104	6	950/900	201	655
205/70R15	104/102	6	900/850	209	669
205/70R15	106/104	6	950/900	209	669
205/70R15	106/104	6	950/900	208	669
215/70R15	106/104	6.5	950/900	221	683
215/70R15	109/107	6.5	1030/1950	221	683
215/70R15	107/105	6.5	975/925	221	683
215/70R15	109/107	6.5	1030/975	221	683
225/70R15	109/107	6.5	1030/975	228	697
225/70R15	112/110	6	1120/1060	228	697
235/70R15	102/99	7	850/775	240	711
235/70R15	109/105	7	1030/925	240	711
235/70R15	114/110	7	1180/1060	240	711
245/70R15	105/102	7	925/850	248	725
255/70R15	112/110	7.5	1120/1060	260	739
255/70R15	112	7.5	1120	260	739
255/70R15	107/103	7.5	975/875	260	739
265/70R15	109/106	8	1030/925	272	753
285/70R15	113/110	8.5	1150/1060	292	781
285/70R15	119/116	8.5	1360/1250	292	781
315/70R15	110/107	9.5	1060/975	323	823

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
315/70R15	118/115	9.5	1320/1215	323	823
195/70R16	109/107	5.5	1030/975	196	680
205/70R16	111/109	5.5	1090/1030	203	694
215/70R16	100/97	6.5	800/730	221	708
225/70R16	117/115	6	1285/1215	223	722
225/70R16	102/99	6.5	850/775	228	722
235/70R16	105/112	7	925/1120	240	736
235/70R16	104/101	7	900/825	240	736
235/70R16	110/107	7	1060/975	240	736
245/70R16	111/109	7	1090/1030	248	750
245/70R16	106/103	7	950/875	248	750
245/70R16	113/110	7	1150/1060	248	750
255/70R16	108/104	7.5	1000/900	260	764
255/70R16	115/112	7.5	1215/1120	260	764
265/70R16	113/111	8	1150/1090	272	778
265/70R16	115	8	1215	272	778
265/70R16	110/107	8	1060/975	272	778
265/70R16	117/114	8	1285/1180	272	778
275/70R16	112/109	8	1120/1030	279	792
275/70R16	119/116	8	1360/1250	279	792
305/70R16	118/115	9	1320/1215	311	834
305/70R16	124/121	9	1600/1450	311	834
305/70R16	128/125	9	1800/1650	311	834
315/70R16	120/117	9.5	1400/1285	323	848
355/70R16	125/122	10	1650/1500	357	904
365/70R16	127/124	11	1750/1600	375	918
395/70R16	123/120	12	1550/1400	406	960
225/70R17	108/106	6.5	1000/950	228	748
225/70R17	112/110	6.5	1120/1060	272	778
245/70R17	108/104	7	1000/900	248	776
245/70R17	114/110	7	1180/1060	248	776
245/70R17	119/116	7	1360/1250	248	776
265/70R17	112/109	8	1120/1030	272	804
265/70R17	118/115	8	1320/1215	272	804
265/70R17	121/118	8	1450/1320	272	804
275/70R17	114/110	8	1180/1060	279	818
275/70R17	121/118	8	1450/1320	279	818
285/70R17	116/113	8.5	1250/1150	292	832
285/70R17	121/118	8.5	1450/1320	292	832
295/70R17	121/118	8.5	1450/1320	299	846
305/70R17	119/116	9	1360/1250	311	860
315/70R17	121/118	9.5	1450/1320	323	874

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
355/70R17	121/118	10	1450/1320	357	936
245/70R18	120/117	7	1400/1285	248	801
275/70R18	125/122	8	1650/1500	279	843
305/70R18	126/123	9	1700/1550	311	885
165/75R14	93/91	4.5	650/615	165	604
165/75R14	97/95	4.5	730/690	165	604
175/75R14	99/98	5	775/750	177	618
185/75R14	102/100	5	850/800	184	634
195/75R14	102/100	5.5	850/800	196	648
195/75R14	106/104	5.5	950/900	196	648
205/75R14	109/107	5.5	1030/975	203	664
215/75R14	112/110	6	1120/1060	216	678
175/75R15	103/101	5	875/825	177	643
185/75R15	106/104	5	950/900	184	659
195/75R15	109/107	5.5	1030/975	196	673
205/75R15	98/95	5.5	750/690	203	689
205/75R15	103/100	5.5	875/800	203	689
215/75R15	115/113	6	1215/1150	216	703
215/75R15	100/97	6	800/730	216	703
215/75R15	106/103	6	950/875	216	703
225/75R15	102/99	6	850/775	223	719
225/75R15	108/104	6	1000/900	223	719
225/75R15	110/108	6	1060/1000	223	719
235/75R15	104/101	6.5	900/825	235	733
235/75R15	110/107	6.5	1060/975	235	733
235/75R15	116/113	6.5	1060/975	235	733
245/75R15	107/103	7	975/875	248	749
245/75R15	109/107	7	1030/975	248	749
255/75R15	109/105	7	1030/925	255	763
255/75R15	110/108	7	1060/1000	255	763
255/75R15	118/116	7	1320/1250	255	763
265/75R15	111/108	7.5	1090/1000	267	779
265/75R15	113/111	7.5	1150/1090	267	779
165/75R16	98/96	4.5	750/710	165	654
175/75R16	98/96	5	750/710	177	668
175/75R16	101/99	5	825/775	177	668
185/75R16	104/102	5	900/850	184	684
195/75R16	104/102	5.5	900/850	196	698
195/75R16	107/105	5.5	975/925	196	698
195/75R16	110/108	5.5	1160/1000	196	698
205/75R16	110/108	5.5	1060/1000	203	714
205/75R16	113/111	5.5	1150/1090	203	714

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
215/75R16	113/111	6	1150/1090	216	728
215/75R16	116/114	6	1250/1180	216	728
225/75R16	103/100	6	880/800	223	744
225/75R16	110/107	6	1060/975	223	744
225/75R16	115/112	6	1215/1120	223	744
225/75R16	119/116	6	1360/1250	223	744
225/75R16	116/114	6	1250/1180	223	744
225/75R16	118/116	6	1320/1250	223	744
225/75R16	121/120	6	1450/1400	223	744
245/75R16	108/104	7	1000/910	248	774
245/75R16	114/111	7	1190/1080	248	774
245/75R16	120/116	7	1380/1260	248	774
245/75R16	123/120	7	1550/1400	248	774
265/75R16	110/107	8	1060/975	272	804
265/75R16	117/114	8	1285/1180	272	804
265/75R16	112/109	7.5	1120/1030	267	804
265/75R16	119/116	7.5	1360/1250	267	804
265/75R16	123/120	7.5	1550/1400	267	804
285/75R16	116/113	8	1250/1150	286	834
285/75R16	122/119	8	1500/1360	286	834
285/75R16	126/123	8	1700/1550	286	834
295/75R16	118/115	8	1320/1215	294	848
295/75R16	123/120	8	1550/1400	294	848
315/75R16	113	8.5	1150	313	878
315/75R16	121	8.5	1450	313	878
245/75R17	121/118	7	1450/1320	248	800
175/80R15	96/94	5	710/670	177	661
175/80R15	101/99	5	825/750	177	661
185/80R15	98/96	5	750/710	184	677
185/80R15	103/101	5	875/825	184	677
195/80R15	103/101	5.5	875/825	196	693
205/80R15	109/107	5.5	1030/975	203	709
215/80R15	107/103	6	975/875	216	725
215/80R15	109/107	6	1030/975	216	725
215/80R15	111/109	6	1090/1030	216	725
205/80R16	106/104	5.5	950/900	203	754
205/80R16	110/108	5.5	1060/1000	203	754
215/80R16	107	6	975	216	750
325/80R16	124/121	9	1600/1450	325	926
235/80R17	120/117	6.5	1400/1285	235	808
185/85R15	105/103	5.5	875/825	184	695
195/85R15	113/111	5.5	1150/1090	196	713

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
205/85R15	116/114	5.5	1250/1180	203	729
185/85R16	105/103	5	925/875	184	720
185/85R16	111/109	5	1090/1030	184	720
195/85R16	108/106	5.5	1000/950	196	738
195/85R16	114/112	5.5	1180/1120	196	738
205/85R16	111/109	5.5	1090/1030	203	754
205/85R16	117/115	5.5	1285/1215	203	754
215/85R16	103/100	6	880/800	216	772
215/85R16	110/107	6	1060/975	216	772
215/85R16	115/112	6	1215/1120	216	772
215/85R16	119/116	6	1360/1250	216	772
215/85R16	110/107	6	1060/975	216	772
215/85R16	115/112	6	1215/1120	216	772
215/85R16	114/112	6	1180/1120	216	772
215/85R16	120/118	6	1400/1320	216	772
225/85R16	115/113	6	1215/1150	223	788
225/85R16	121/119	6	1450/1360	223	788
235/85R16	108/104	6.5	1000/910	235	806
235/85R16	114/111	6.5	1190/1080	235	806
235/85R16	118/116	6.5	1320/1250	235	806
235/85R16	120/116	6.5	1380/1260	235	806
235/85R16	123/120	6.5	1550/1400	235	806
235/85R16	112/110	6.5	1120/1060	235	806
235/85R16	114/111	6.5	1180/1090	235	806
235/85R16	120/116	6.5	1320/1250	235	806
255/85R16	112/109	7	1120/1030	255	840
255/85R16	119/116	7	1360/1250	255	840
255/85R16	123/120	7	1550/1400	255	840
255/85R16	119/116	7	1360/1260	255	840
225/95R16	118/116	6	1320/1250	223	834
235/95R16	121/120	6.5	1450/1400	235	852
225/70R17.5	128/126	6.75	1800/3400	226	761
245/70R17.5	134/132	7.5	2120/2000	248	789
205/75R17.5	122/120	6	1500/2800	205	753
205/75R17.5	124/122	6	1600/3000	205	753
215/75R17.5	124/123	6	1600/3100	212	767
215/75R17.5	126/124	6	1700/3200	212	767
225/75R17.5	126/125	6.75	1700/3300	226	783
225/75R17.5	129/127	6.75	1850/3500	226	783
235/75R17.5	123/121	6.75	1550/2900	233	797
235/75R17.5	130/128	6.75	1900/3600	233	797
235/75R17.5	132/130	6.75	2000/3800	233	797

Tyre Size	Load Index	Nominal Rim Width Code	Standard Load Capacity (kg)	Nominal Tyre Section Width (mm)	Nominal Overall Tyre Diameter (mm)
195/80R17.5	105/110	6	925/1060	197	757
205/80R17.5	113/116	6	1150/1250	204	773
225/80R17.5	123/122	6.75	1550/1500	226	805
8.5R17.5	121/120	6	1450/1400	215	802
9R17.5	123/121	6.75	1550/1450	230	820
9.5R17.5	126/124	6.75	1700/1600	240	842
225/90R17.5	128/126	6.75	1800/1700	226	850
225/95R16	118/116	6	1320/1250	223	834
235/95R16	121/120	6.5	1450/1400	235	852
145R10	-	4	-	147	486
145R12	-	4	-	147	5436
155R12	-	4.5	-	157	5506
145R13	-	4	-	147	562
155R13	-	4.5	-	157	578
165R13	-	4.5	-	167	596
175R13	-	5	-	178	608
185R13	-	5.5	-	188	624
165R14	-	4.5	-	167	622
175R14	-	4.5	-	178	634
185R14	-	5	-	183	650
195R14	-	5.5	-	198	666
205R14	-	5.5	-	208	686
215R14	-	6	-	218	701
145R15	-	4	-	147	613
165R15	-	4.5	-	167	649
185R15	-	5.5	-	188	674
195R15	-	5.5	-	198	690
205R15	-	5.5	-	203	709
215R15	-	6	-	216	726
175R16	-	5	-	178	684
205R16	-	5.5	-	208	736